


9322510199/9322298957

TEJ-CAB ENTERPRISES (P) LTD.

Shop No.1 and 2 , Gr .Floor,  
Sohrab Building Premises CHS,  
499 / 505 Kalbadevi Road ,


Opp . Edward Cinema , Mumbai - 400002 Ph-22-22079247, 22079248




LED: OSRAM OSLON  
CCT: 3000K 4000K 6000K  
Input: AC220-240V 50/60Hz 1.3W  
Output: DC3V 300mA 0.9W

### TURBO101

CRI > 80 IP 20




LED: OSRAM OSLON  
CCT: 3000K 4000K 6000K  
Input: AC220-240V 50/60Hz 1.3W  
Output: DC3V 300mA 0.9W



LED: OSRAM OSLON  
 CCT: 3000K 4000K 6000K  
 Angle: 15° 30° 45°  
 Input: AC220-240V 50/60Hz 1.3W  
 Output: DC3V 300mA 0.9W


**TURBO102**

CRI > 80 IP 20




LED: OSRAM OSLON  
 CCT: 3000K 4000K 6000K  
 Angle: 15° 30° 45°  
 Input: AC220-240V 50/60Hz 1.3W  
 Output: DC3V 300mA 0.9W

**TURBO103**




LED: OSRAM OSLON  
CCT: 3000K 4000K 6000K  
Angle: 110°  
Input: AC220–240V 50/60Hz 1.3W  
Output: DC3V 300mA 0.9W

**TURBO103A**




LED: OSRAM OSLON  
CCT: 3000K 4000K 6000K  
Angle: 110°  
Input: AC220–240V 50/60Hz 1.3W  
Output: DC3V 300mA 0.9W

**TURBO104**





LED: OSRAM OSOLON  
CCT: 3000K 4000K 6000K  
Input: AC220-240V 50/60Hz 1.3W  
Output: DC3V 300mA 0.9W

**TURBO105**



LED: OSRAM OSOLON  
CCT: 3000K 4000K 6000K  
Input: AC220-240V 50/60Hz 1.3W  
Output: DC3V 300mA 0.9W



## TURBO105


<b>LightSource</b>	Cree LED
<b>Colour RenderingIndex</b>	> 90
<b>Colour Temperature</b>	3000K or 4000K or 5000K
<b>Colour Finish</b>	Silver or Black
<b>PowerFactor</b>	> 0.9
<b>CutOut</b>	Ø45mm
<b>PowerConsumption</b>	3W
<b>LuminousFlux</b>	350lm
<b>Lifetime</b>	50,000hours
<b>IP-code</b>	IP20
<b>Beam Angle</b>	45
<b>Voltage/current</b>	10V DC
<b>Output Current</b>	350mA
<b>HousingMaterial</b>	DieCast Aluminum
<b>Warranty</b>	1year



### TURBO107

IP20

LED: EDISON 1\*1w  
CRI: > 80  
CCT: 3000K 4000K 6000K  
Angle: 30°  
Luminous: 90lm  
Input: AC110-240V 50/60Hz  
External constant current driver



**TURBO108**

IP20

LED: EDISON 1\*1w  
 CRI: > 80  
 CCT: 3000K 4000K 6000K  
 Angle: 30°  
 Luminous: 90lm  
 Input: AC110-240V 50/60Hz  
 External constant current driver



**TURBO109**

IP20

LED: EDISON 1\*1w  
 CRI: > 80  
 CCT: 3000K 4000K 6000K  
 Angle: 30°  
 Luminous: 90lm  
 Input: AC110-240V 50/60Hz  
 External constant current driver







**TURBO110**



**TURBO110**

IP20

LED: EDISON 1\*1w  
CRI: > 80  
CCT: 3000K 4000K 6000K  
Angle: 30°  
Luminous: 90lm  
Input: AC110-240V 50/60Hz  
External constant current driver



### TURBO111

IP20

LED: EDISON 1\*1w  
CRI: > 80  
CCT: 3000K 4000K 6000K  
Angle: 25°  
Luminous: 65lm  
Input: AC110-240V 50/60Hz  
External constant current driver

### TURBO112

IP20


LED: EDISON 1\*1w  
CRI: > 80  
CCT: 3000K 4000K 6000K  
Angle: 20°  
Luminous: 35lm  
Input: AC110-240V 50/60Hz  
External constant current driver



### TURBO113

IP20


LED: OSRAM 1\*1W  
CRI: > 80  
CCT: 3000K 4000K 6000K  
Angle: 40°  
Luminous: 90lm  
Input: AC110-240V 50/60Hz  
External constant current driver




### TURBO114

IP20

LED: OSRAM 2\*1W  
CRI: > 80  
CCT: 3000K 4000K 6000K  
Angle: 40°  
Luminous: 180lm  
Input: AC110-240V 50/60Hz  
External constant current driver





### TURBO115

IP20

LED: CREE 1\*1w  
CRI: > 80  
CCT: 3000K 4000K 6000K  
Angle: 30°  
Luminous: 90lm  
Input: AC110-240V 50/60Hz  
External constant current driver



### TURBO116

IP20


LED: CREE 3\*1w  
CRI: > 80  
CCT: 3000K 4000K 6000K  
Angle: 30°  
Luminous: 90lm  
Input: AC110-240V 50/60Hz  
External constant current driver



## TURBO117

IP20

LED: EDISON 3\*1w  
CRI: > 80  
CCT: 3000K 4000K 6000K  
Angle: 30°  
Luminous: 270lm  
Input: AC110-240V 50/60Hz  
External constant current driver



## TURBO118

IP20


LED: EDISON 1\*1w  
CRI: > 80  
CCT: 3000K 4000K 6000K  
Angle: 30°  
Luminous: 90lm  
Input: AC110-240V 50/60Hz  
External constant current driver



### TURBO119

IP20

LED: EDISON 1\*1w  
CRI: > 80  
CCT: 3000K 4000K 6000K  
Angle: 30°  
Luminous: 90lm  
Input: AC110-240V 50/60Hz  
External constant current driver



### TURBO120

IP20



LED: EDISON 1\*1w  
CRI: > 80  
CCT: 3000K 4000K 6000K  
Angle: 30°  
Luminous: 90lm  
Input: AC110-240V 50/60Hz  
External constant current driver



**TURBO121**

IP20

LED: EDISON 1\*1w  
CRI: > 80  
CCT: 3000K 4000K 6000K  
Angle: 30°  
Luminous: 90lm  
Input: AC110-240V 50/60Hz  
External constant current driver



### TURBO122

IP20


LED: EDISON 3\*1w  
CRI: > 80  
CCT: 3000K 4000K 6000K  
Angle: 30°  
Luminous: 180lm  
Input: AC110-240V 50/60Hz  
External constant current driver

### TURBO123

IP20


LED: EDISON 1\*1w  
CRI: > 80  
CCT: 3000K 4000K 6000K  
Angle: 30°  
Luminous: 90lm  
Input: AC110-240V 50/60Hz  
External constant current driver





## TURBO124

<b>LightSource</b>	Cree LED
<b>Colour RenderingIndex</b>	> 90
<b>Colour Temperature</b>	3000K or 4000K or 5000K
<b>Colour Finish</b>	Silver or Black
<b>PowerFactor</b>	> 0.9
<b>CutOut</b>	Ø10mm
<b>PowerConsumption</b>	3W
<b>LuminousFlux</b>	300lm
<b>Lifetime</b>	50,000hours
<b>IP-code</b>	IP20
<b>Beam Angle</b>	45
<b>Voltage/current</b>	10V DC
<b>Output Current</b>	350mA
<b>HousingMaterial</b>	DieCast Aluminum
<b>Warranty</b>	1years
<b>Patent No.</b>	
<b>Certification</b>	




## TURBO 125


<b>LightSource</b>	Cree LED
<b>Colour RenderingIndex</b>	> 90
<b>Colour Temperature</b>	3000K or 4000K or 5000K
<b>Colour Finish</b>	Silver or Black
<b>PowerFactor</b>	> 0.9
<b>PowerConsumption</b>	3.5W
<b>LuminousFlux</b>	350lm
<b>Lifetime</b>	50, 000hours
<b>IP-code</b>	IP20
<b>Beam Angle</b>	45
<b>Voltage/current</b>	12V or 24V DC
<b>HousingMaterial</b>	DieCast Aluminum



## TURBO 126

<b>LightSource</b>	Cree LED
<b>Colour RenderingIndex</b>	> 90
<b>Colour Temperature</b>	3000K or 4000K or 5000K
<b>Colour Finish</b>	Silver or Black
<b>PowerFactor</b>	> 0.9
<b>CutOut</b>	Ø13mm
<b>PowerConsumption</b>	4W
<b>LuminousFlux</b>	400lm
<b>Lifetime</b>	50,000hours
<b>IP-code</b>	IP20
<b>Beam Angle</b>	60
<b>Voltage/current</b>	10V DC
<b>Output Current</b>	350mA
<b>HousingMaterial</b>	DieCast Aluminum
<b>Warranty</b>	5years






## TURBO127

<b>LightSource</b>	Cree LED
<b>Colour RenderingIndex</b>	> 90
<b>Colour Temperature</b>	3000K or 4000K or 5000K
<b>Colour Finish</b>	Silver or Black
<b>PowerFactor</b>	> 0.9
<b>PowerConsumption</b>	9W
<b>LuminousFlux</b>	900lm
<b>Lifetime</b>	50,000hours
<b>IP-code</b>	IP20
<b>Beam Angle</b>	60
<b>Voltage/current</b>	20V DC
<b>Output Current</b>	500mA
<b>HousingMaterial</b>	DieCast Aluminum
<b>Warranty</b>	1year

Adjustable  
Beam Angle 6-60





### TURBO 128

<b>LightSource</b>	Cree LED
<b>Colour RenderingIndex</b>	> 90
<b>Colour Temperature</b>	3000K or 4000K or 5000K
<b>Colour Finish</b>	Silver or Black
<b>PowerFactor</b>	> 0.9
<b>CutOut</b>	Ø13mm
<b>PowerConsumption</b>	3W
<b>LuminousFlux</b>	300lm
<b>Lifetime</b>	50, 000hours
<b>IP-code</b>	IP20
<b>Beam Angle</b>	6-60
<b>Voltage/current</b>	3V DC
<b>Output Current</b>	500mA
<b>HousingMaterial</b>	DieCast Aluminum
<b>Warranty</b>	1year



## TURBO 129


<b>LightSource</b>	Cree LED
<b>Colour RenderingIndex</b>	> 90
<b>Colour Temperature</b>	3000K or 4000K or 5000K
<b>Colour Finish</b>	Silver or Black
<b>PowerFactor</b>	> 0.9
<b>PowerConsumption</b>	5W
<b>LuminousFlux</b>	300lm
<b>Lifetime</b>	50, 000hours
<b>IP-code</b>	IP20
<b>Beam Angle</b>	60
<b>Voltage/current</b>	15V DC
<b>Output Current</b>	300mA
<b>HousingMaterial</b>	DieCast Aluminum
<b>Warranty</b>	1year





## TURBO 130

<b>LightSource</b>	Osram LED / Edison
<b>Colour RenderingIndex</b>	> 97
<b>Colour Temperature</b>	3000K or 4000K or 5000K
<b>Colour Finish</b>	Silver or Black
<b>PowerFactor</b>	> 0.9
<b>PowerConsumption</b>	18W
<b>LuminousFlux</b>	1800lm
<b>Lifetime</b>	50,000hours
<b>IP-code</b>	IP20
<b>Beam Angle</b>	45
<b>Voltage/current</b>	24V DC
<b>Output Current</b>	350mA
<b>HousingMaterial</b>	DieCast Aluminum
<b>Warranty</b>	1year



**DRIVER** ▼

CCT Tunable & Dimmable Driver



7w



12w



24w



DIMMABLE & CCT  
ADJUSTABLE







**9322510199/9322298957**

**TEJ-CAB ENTERPRISES (P) LTD.**

**Shop No.1 and 2 , Gr .Floor,**

**Sohrab Building Premises CHS,**

**499 / 505 Kalbadevi Road ,**

**Opp . Edward Cinema , Mumbai - 400002 Ph-22-22079247, 22079248**