



STAR SLIM
Range of LED Slim Panels

Introducing Star Slim : Ultra Slim Edge – Lit LED Panel for your Space Saving Design

Complete Basket : 3W to 18W in CDL/WW/NW in Round & Square

Space Saving **Ultra Slim Design** with **In Built Driver**

Standard Cut Out Size & Diameter

Durable Thermally Conductive PC FR Grade Housing for Better Heat **Dissipation & Endurance**




Operating Voltage : 140 – 270 V with Voltage Protection up to 360V

Eye Protection by Acrylic Diffuser

BIS Safety Standards Registered with Surge Protection 2.5kV

Power Factor > 0.9 & **Burning Hrs** > 15,000



SURFACE RING



Range of Surface Fitting for STAR SLIM & STAR MAGIC

Introducing Surface Ring : To convert Panel into Surface

- **Converts** *Star Slim & Star Magic into Surface Panel*
- *Fitment in 4 wattages of Star Slim 6w / 12w / 15w mini / 18w & all wattages of Star Magic 6w/ 12w/ 16w*



STAR LORD



STAR LORD

Range of Ultra Slim Rim Panels


Introducing STAR LORD : Ultra Slim Rim Back Lit LED Panel with 100 Lumen per Watt

**Complete Basket : 5W to 20W in
CDL/WW/NW in Round & Square**

**Lumen Efficacy – 100 Lumen per
Watt**

**Ultra Slim Rim for Wide Light
Emitting Area**

**Standard Cut Out Size &
Diameter**




Voltage Protection : 140V – 380V

**Eye Protection by Milky Frosted
Diffuser**

**BIS Safety Standards Registered with
Surge Protection 3 kV**

**Power Factor > 0.9 & Burning Hrs >
25,000**

STAR LORD



Ultra Slim Rim

Ultra Slim Rim results into Wider Light Emitting Area and the light reaches all corners of the living space.



100 Lumen Per Watt

Lumen efficacy of 100 Lumen per Wattage Light is so Bright that every corner grabs the spotlight.



Wide Voltage Protection

Wide Voltage Protection maintains uniformity in light output in case of voltage fluctuation from as low as 140V to as high as 380V making it a durable product.



Surge Protection upto 3kV

Surge Protector evens out the sudden peaks in AC voltage, thus protecting Panels against unstable power conditions as high as 3000V.

PRESENTING **CROMPTON STAR COSMOS**



Presenting

STAR DURA *Eye Smile*

Ultra Low Flicker LED Edge Lit Ultra Slim Panel



New wattage introduction: 9W & 25W

Crompton




STAR SLIM

Range of LED Slim Panels

STAR DURA **Eye Smile**



STAR LORD



PRESENTING

CROMPTON STAR COSMOS



STAR VEGA »NXT


**EASY
TO FIT**

New Smooth TWIST & LOCK
mechanism for EASY FIT




*Twist
&
Lock*



AVAILABLE IN A RANGE OF COLOURS

Crompton

STAR VEGA **NXT** 7W




COOL DAY LIGHT




NATURAL WHITE



WARM WHITE



RED



GREEN



BLUE



PINK

PRESENTING CROMPTON STAR STYLUS



Crompton

New Product Launch Circular

***Super Lumen 36W 2X2
Tile***



Crompton

2: NEW STAR STRIKO PRO SURFACE CABINET

STAR
STRIKO
PRO

RIMLESS SURFACE CABINET

STAR STRIKO PRO

Crompton



CDL



WW



RED



GRN



BLU



PNK



Full Glow
Light Spread



Safe for Eyes



No UV/IR



BIS - Registered



Surge Protection
2.5kV



Wide Voltage Protection
140V to 320V



EASY
TO FIT

3: NEW STAR LORD JB DL 3W

STAR LORD



JB 3W DOWNLIGHTER FOR FALSE CEILING
AND 2" JUNCTION BOX

STAR LORD JB Downlighter Features

Crompton



Easy fit across different ceiling box Junction Box / False Ceiling

- Can be easily fitted inside 2" junction box
- Can also be fitted inside regular false ceiling



Wide Voltage Protection

- Protection from 140V to 350V
- Uniform light output across different voltage range
- Durable



Surge Protection

- Protects against unstable power surges
- Protection as high as 2500V
- Evens out sudden peaks in AC voltage

STAR LORD

4: NEW STAR LORD 3-in-1

STAR LORD

3IN1★★
COLOR★

3-in-1 colour changing
LED Panel
with 100 lm / W



STAR LORD 3-in-1 Colour Changing

Crompton

3-IN1 LIGHT: CDL, NW AND WW COLOUR CHANGING ON TOGGLE SWITCH



Cool Day Light -
6500K



Natural White -
4000K



Warm White -
3000K

NEW SPOTECO – 1W SPOTLIGHT

Crompton



SPOTECO

Round: LDSPR1 - CDL/WW/BLU/GRN/PNK/RED

Specifications

Application	Display units, wardrobes, cabinets, showcases
Color & Material	White & Poly Carbonate
Wattage, Voltage & Frequency	LED 1W, 230V~, 50 Hz
(Color Temperature)	CDL/WW/RED/GREEN/BLUE/PINK
Dimensions (L X W X H)	37mm x 37mm x 20mm
Lumen Output	70 lumens for CDL
Case Lot	50
MRP	100

FEATURES

70 Lumens Per Wattage

120* beam angle

Available in 6 colours

Applications: Display units,
Wardrobes, Cabinets, Showcases

BIS registered

FOR INTERNAL CIRCULATION ONLY

NEW SPOTECO – 3W SPOTLIGHT

Crompton



SPOTECO

Round: LD5PR3 - CDL/WW/BLU/GRN/PNK/RED

FEATURES

60 Lumens Per Wattage

120* beam angle

Available in 6 colours

Applications: Display units,
Wardrobes, Cabinets, Showcases

BIS registered


Specifications

Application	Display units, wardrobes, cabinets, showcases
Color & Material	White & Poly Carbonate
Wattage, Voltage & Frequency (Color Temperature)	LED 3W, 230V~, 50 Hz CDL/WW/RED/GREEN/BLUE/PINK
Dimensions (L X W X H)	43mm x 43mm x 25mm
Lumen Output	60 lumens for CDL
Case Lot	50
MRP	150

FOR INTERNAL CIRCULATION ONLY

INTRODUCING STAR MIRANDA

OUR BEST-LOOKING COB EVER



STAR MIRANDA – Loaded with features

Crompton



**EFFICIENT STEP BASED REFLECTORS
FOR 85 LPW**



**ALUMINUM HEAT SINK FOR
DURABILITY**



**45° BEAM ANGLE
25° TILT ANGLE**



**VOLTAGE PROTECTION UP TO
440V**



**SURGE PROTECTION UP TO
4KV**

Crompton



IP65
WATER RESISTANT



TOUGHENED GLASS AI(PDC)



LED Flood Light

• PDC Housing/ Frame	• Flexible Brackets
• Inbuilt Driver	• PF - >0.9
• Shock Proof/ Light Weight	• THD <20% ; CRI >70

Applications


Parking Area


Warehouses


Malls


Water Pools

• Signages • Landscape Lighting
• Facade / Passage Lighting • Construction Sites

Available In

20W
100lm/Watt

145 x 105 x 40 (±0.3mm)

30W
100lm/Watt

165 x 115 x 45 (±0.3mm)

50W
100lm/Watt

230 x 135 x 50 (±0.3mm)

Features


Long life upto 10 yrs


50% Energy Saving*


Zero Mercury


Non Dimmable

• No UV • Operating Voltage (140-270V AC)

Life based on 4 hours usage per day in an open fixture on standard AC supply.
* Energy saving as compared to Halogen lamp of similar lumens.

Crompton



IP65
WATER RESISTANT



PC+ LENS AI(PDC)



LED Street Light

• PDC Housing	• 100 lumen per watt
• Inbuilt Driver	• PF - >0.9
• PC Cover with Inbuilt Lens	• THD <20% ; CRI >70

Application
(For Outdoor use only)

- Secondary Roads, Streets & Lanes
- Parking Area
- Garden Walkways
- Periphery Lighting
- Campus Lighting

Features


Long life upto 10 yrs


50% Energy Saving*


Zero Mercury


Non Dimmable

• No UV • Operating Voltage (140-270V AC)

Life based on 4 hours usage per day in an open fixture on standard AC supply.
* Energy saving as compared to conventional Street Light of similar lumens.

Available In

20W
2000 lumens

315 x 127 x 60 (±0.3mm)

25W
2500 lumens

315 x 127 x 60 (±0.3mm)

30W
3000 lumens

301 x 127 x 60 (±0.3mm)

LYOR FEATURES



Extra Brightness
& More Savings
Per Wattage.



Better Light Spread
across all corners
with 270 Degree
Beam Angle.



Unique Design
to enhance and
beautify your
living space.



Saves more energy
as compared to
other LED bulbs.



Product Name	Lumens	Pack Size	RDP	MRP
Lyor 10W	1200	20	120	285

Crompton

BIJLI GUL, BACKUP FULL

New
BACKUP LAMP ⚡



**LED
12W**
COOL DAY LIGHT
1200 LUMENS

**LED
9W**
COOL DAY LIGHT
900 LUMENS



BACKUP TO 4 HOURS



OVER CHARGE PROTECTION
DEEP DISCHARGE PROTECTION
SHORT CIRCUIT PROTECTION



2200 mAh LITHIUM ION
BATTERY FOR LONGER LIFE



CHARGING TIME 8-10 HOURS
WITH 500 RECHARGE CYCLES

Crompton

BIJLI GUL, BACKUP FULL



NORMAL MODE

**LED
12W**
COOL DAY LIGHT
1200 LUMENS



**LED
9W**
COOL DAY LIGHT
900 LUMENS

BACKUP MODE

New

BACKUP LAMP ⚡



BACKUP
UP TO 4 HOURS



2200 mAh
LITHIUM ION BATTERY
FOR LONGER LIFE



OVER CHARGE PROTECTION
DEEP DISCHARGE PROTECTION
SHORT CIRCUIT PROTECTION



CHARGING TIME
8-10 HOURS WITH
500 RECHARGE CYCLES

Emergency Bulb 92 & 12W



LED BACKUP LAMP 9W CDL B22
CATREF: LED9WDFINVB4CDL

Features



Lithium-Ion BATTERY
FOR LONGER LIFE



BACKUP* - UP TO 4 HOURS



CHARGING TIME 8-10 HOURS
WITH 500 RECHARGE CYCLES



BMS* TO PROTECT THE BATTERY
FROM OVERHEATING



OVER CHARGE PROTECTION
DEEP DISCHARGE PROTECTION
SHORT CIRCUIT PROTECTION

Crompton

BACKUP LAMP



Crompton

UPTO
4
HOURS
BACKUP

LED
12W

COOL DAY LIGHT
1200 LUMENS



Crompton

UPTO
4
HOURS
BACKUP

LED BACKUP LAMP 12W CDL B22
CATREF: LED12WDFINVNB4CDL

Features



2200 mAh LITHIUM ION BATTERY
FOR LONGER LIFE



BACKUP* - UP TO 4 HOURS



CHARGING TIME 8-10 HOURS
WITH 500 RECHARGE CYCLES



BMS* TO PROTECT THE BATTERY
FROM OVERHEATING



OVER CHARGE PROTECTION
DEEP DISCHARGE PROTECTION
SHORT CIRCUIT PROTECTION






Laser Ray Neo Range

Crompton

With these 5W & 10W SKUs we are offering complete range of Laser Ray Neo:
Total 13 SKUs

WATTAGE	CDL	NW	WW	RED	GREEN	BLUE	PINK
5W	✓	✓	✓				
10W	✓	✓	✓				
20W	✓	✓	✓	✓	✓	✓	✓





LED LAMPS

3W 5W 7W 9W 12W 14W 18W 23W

Features

105 Lumens per watt

Surge protection 4kV

Voltage protection 440V

Power factor > 0.9

Fire Retardant Material

Zero Mercury

BEE 3 Star

Made In India In-House Product

Crompton

In-Built
VOLTAGE SURGE
PROTECTION Upto 4 Kv
Over voltage protection upto 440V***



12W
COOL DAY LIGHT

Crompton

In-Built
VOLTAGE SURGE
PROTECTION Upto 4 Kv
Over voltage protection upto 440V***



14W
COOL DAY LIGHT

Crompton

In-Built
VOLTAGE SURGE
PROTECTION Upto 4 Kv
Over voltage protection upto 440V***



18W
COOL DAY LIGHT

Crompton

In-Built
VOLTAGE SURGE
PROTECTION Upto 4 Kv
Over voltage protection upto 440V***



23W
COOL DAY LIGHT

LED LAMPS

3W 5W 7W 9W 12W 14W 18W 23W

Features

105 Lumens per watt

Surge protection 4kV

Voltage protection 440V

Power factor > 0.9

Fire Retardant Material

Zero Mercury

BEE 3 Star

Made In India In-House Product



LED LAMPS Features & Benefits




105 Lumens per wattage for Adequate Brightness with 3 Star BEE ratings for 3W, 5W, 7W, 9W, 12W, 14W, 18W & 23W



Surge Protector evens out the sudden peaks in AC voltage, protecting against unstable power conditions as high as 4000V.



Wide Voltage Protection keeps uniformity in light output in case of voltage fluctuation from as low as 140V to as high as 440V making it a durable product



Power Factor >0.9
Ensures minimal power losses and increased Life of LED Lamps



Voltage Protection up to 440V



LED DECO

Eco-Deco lamps are 0.5W LED lamps for low level illumination and decorative lighting. These lamps can also be used for making garlands of colored lamps during festivals.

Order Code	Wattage	Case Lot	MRP/pc (Rs.)
LED Deco	0.5W	48	₹ 55

Available in Red, Blue, Green, White, Yellow, Pink & Orange.



Crompton



30W
3000lm

Crompton



40W
4000lm

Crompton



50W
5000lm

Crompton

LASER RAY NEO


CDL NW WW



ENHANCED
OPTICAL WHITE LIGHT



SURGE
PROTECTION (4kV)



PF >0.9



CRI >80


20W

LASER RAY NEO

COLORS



SURGE
PROTECTION (4kV)



PF >0.9



TRUE VIBRANT
COLOURS

RED PNK GRN BLU

20W

