



Turbo lights

9322293323/9322298957



COB SPOTLIGHTS

CLASSIC

EN-CBo2

CONE

EN-CBo1



MODEL	POWER	SIZE	CUTOUT	BEAM ANGLE
EN-CBo1 - 3	3W	∅ 55*45	∅ 50	24°
EN-CBo1 - 7	7W	∅ 85*60	∅ 75	38°
EN-CBo1 - 10	10W	∅ 85*70	∅ 75	38°
EN-CBo1 - 16	16W	∅ 118*75	∅ 85	55°
EN-CBo1 - 24	24W	∅ 140*105	∅ 125	55°
EN-CBo1 - 30	30W	∅ 160*90	∅ 145	55°
EN-CBo1 - 50	50W	∅ 160*120	∅ 145	55°

MODEL	POWER	SIZE	CUTOUT	BEAM ANGLE
EN-CBo2 - 5	5W	∅ 40 x 60	∅ 30	24°
EN-CBo2 - 10	10W	∅ 60 x 80	∅ 50	38°
EN-CBo2 - 15	15W	∅ 75 x 100	∅ 65	38°



V-SERIES

V-SERIES

EN-CB03



EN-CB04



MODEL	POWER	SIZE	CUTOUT	COLOR	BEAM ANGLE
EN-CB03(Spark) - 3	3W	∅ 36*34	∅ 32	WH/BK/RG	24°
EN-CB03 - 7	7W	∅ 59*69	∅ 50	WH/BK	24°
EN-CB03 - 12	12W	∅ 82*79	∅ 74	WH/BK	38°
EN-CB03 - 18	18W	∅ 90*93	∅ 80	WH/BK	38°
EN-CB03 - 30	30W	∅ 118*130	∅ 108	WH/BK	38°

MODEL	POWER	SIZE	CUTOUT	BEAM ANGLE
EN-CB04 - 7	7W	∅ 75*60	∅ 65	24°
EN-CB04 - 12	12W	∅ 85*80	∅ 75	38°



EN-CBo5

SPARK Button


EN-CBo6

ANDA




BA - BEAM ANGLE

MODEL	POWER	SIZE	CUTOUT	COLOR	BEAM ANGLE
EN-CBo5 - 1	1W	32*20	Ø 24	WH/BK	18°
EN-CBo5 - 3	3W	40*22	Ø 28	WH/BK	18°
EN-CBo3(Spark) - 3	3W	36*34	Ø 32	WH/BK/RG	24°



- | 12W White CL
- | 10W Chrome CL
- | 12W White SF
- | 10W Chrome SF
- | 20W White CL
- | 15W Chrome CL



- | 20W White SF
- | 15W Chrome SF
- | 2x20W White SF
- | 2x15W Chrome SF
- | 20W White Tracklight
- | 15W Chrome Tracklight




EN-CBo7



BAMBOO

EN-CBo8

LUCE



MODEL	POWER
EN-CB07 - 7	7W
EN-CB07 - 14	2*7W
EN-CB07 - 12	12W
EN-CB07 - 24	2*12W
EN-CB07 - 25	25W
EN-CB07 - 12SF	12W SF Cylinder



MODEL	POWER	CUTOUT	BEAM ANGLE
EN-CB08 - 3	3W	Ø35	25°
EN-CB08 - 8	8W	Ø60	20°
EN-CB08 - 12	12W	Ø70	24°




EN-CB09


NOX

EN-CB10

KURVE



MODEL	POWER	SIZE	CUTOUT
EN-CB09 - 3	3W	40*32	Ø 35



EN-CB09 - 5	5W	55*43	Ø 50
-------------	----	-------	------

MODEL	POWER	SIZE	CUTOUT
EN-CB10 - 7	7W	70*57H	Ø 65
EN-CB10 - 12	12W	84*65H	Ø 75
EN-CB10 - 18	18W	95*79H	Ø 90






EN-CB11




MARGO

EN-CB12

ZUMATA



MODEL	WATT	BODY COLOUR	SIZE	CUTOUT
EN-CB11-WH	12W	WHITE	85*85H	Ø 75
EN-CB11-RG	12W	ROSE GOLD	85*85H	Ø 75



MODEL	POWER	BEAM ANGLE	CUTOUT
EN-CB12 - 12	12W	38°	90*90
EN-CB12 - 24	12Wx2	38°	168*90




EN-CB13

DUPLEX

EN-CB14

ORBI



MODEL	POWER	SIZE A* B* C* D*	CUTOUT
EN-CB13 - 12	12W	45*85*85*110	75X75
EN-CB13 - 24	2*12W	45*80*200*85	190X70

MODEL	POWER	SIZE	CUTOUT
EN-CB14 - 5	5W	65 x 53H	Ø 55
EN-CB14 - 12	12W	88 x 65H	Ø 75
EN-CB14 - 20	20W	98 x 85H	Ø 88



EN-CB15



FARO

EN-CB16



LEVO

MODEL	POWER	SIZE	CUTOUT
EN-CB15 - 5	5W	60 x 60H	Ø 50
EN-CB15 - 12	12W	85 x 75H	Ø 75
EN-CB15 - 18	18W	95 x 85H	Ø 85

MODEL	WATT	SIZE	CUTOUT
EN-CB16 - 7	7W	68 x 64H	Ø 60
EN-CB16- 12	12W	85 x 77H	Ø 75



LUCE

HARRIER

EN-CB17

EN-CB18



MODEL	POWER	SIZE	CUTOUT	BEAM ANGLE
EN-CB18 - 12	12W	84*85	Ø 75	38°

EN-CB19

HECTOR



MODEL	POWER	SIZE	CUTOUT	BEAM ANGLE
EN-CB19 - 12	12W	90*95	Ø 80	38°

MODEL	POWER	SIZE	CUTOUT
EN-CB17 - 3	3W	37x40H	Ø 30
EN-CB17 - 7	7W	45x50H	Ø 40
EN-CB17 - 12	12W	68x78H	Ø 60



EN-CB20



MODEL	POWER	SIZE	CUTOUT	BEAM ANGLE
EN-CB20 - 12	12W	108*70	Ø 95	38°

EN-CB21



MODEL	POWER	SIZE	CUTOUT	BEAM ANGLE
EN-CB21 - 12	12W	75*58	Ø 65	38°



PASSION

EN-CB22



MODEL	POWER	SIZE	CUTOUT	BEAM ANGLE
EN-CB22 - 7	7W	64*60	Ø 54	15°

EN-CB23



MODEL	POWER	SIZE	CUTOUT	BEAM ANGLE
EN-CB23 - 3	3W	46*60	Ø 43	24°




EYE

BLAST

SENSE

EN-CB24



MODEL	POWER	SIZE	CUTOUT	BEAM ANGLE
EN-CB24 - 12	12W	72*75	Ø 66	38°

EN-CB25



MODEL	POWER	SIZE	CUTOUT	BEAM ANGLE
EN-CB25 - 12	12W	100*92	Ø 90	15°



ARC

EN-CB26



MODEL	POWER	SIZE	CUTOUT	BEAM ANGLE
EN-CB26 - 12	12W	83*83*83	77*77	38°
EN-CB26 - 24	2*12W	160*83*83	155*77	38°

EN-CB27

CURVE



MODEL	POWER	SIZE	CUTOUT	BEAM ANGLE
EN-CB27 - 7	7W	60*78	Ø 53	38°
EN-CB27 - 12	12W	71*95	Ø 62	38°
EN-CB27 - 18	18W	84*125	Ø 75	38°



TRUMP

COMPASS

EN-CY02

CYLINDER

EN-CY03



MODEL	POWER	SHAPE	SIZE	COLOR	BEAM ANGLE
EN-CY02 - 6	6W	RD	-	BK+BK/BK+RGD	38°
EN-CY02 - 12	12W	RD	75*90	BK+BK/BK+RGD	38°
EN-CY02 - 18	18W	RD	75*130	BK+BK/BK+RGD	38°

MODEL	POWER	SHAPE	SIZE	COLOR	BEAM ANGLE
EN-CY03 - 12	12W	SQ	80*110	BK+BK/BK+RGD	38°
EN-CY03 - 18	18W	SQ	80*150	BK+BK/BK+RGD	38°



EN-CY04

AURA

EN-CY05



SQUARE AXIS



Colour Options
WH+BK

SURFACE

SEMI - RECESSED



MODEL	POWER
ENCY05 - 12	12W

MODEL	WATT	SIZE	CUTOUT	BEAM ANGLE
EN-CY04 - SF	10W	75*83	-	38°
EN-CY04 - SR	10W	75*83	Ø 75	38°



Sand White Sand Black



EN-CY06




APPESO

EN-CY07



HANGED



MODEL	POWER	SIZE
ENCY06 - 7	7W	60*300



MODEL	POWER	SIZE
ENCY07 - 5	5W	26*400



TINT

SIFR

EN-CY08


EN-CY09



Colour Options
WH+BK
BK+BK

MODEL	POWER	SIZE
EN-CY08 - 7	7W	80 *110
EN-CY08 - 12	12W	80*150

MODEL	POWER	SIZE A x B
EN-CY09 - 3	3W	46 x 57
EN-CY09 - 7	7W	55 x 60
EN-CY09 - 12	12W	68 x 68



EN-CY09S

TETRIS

EN-CY10


PENDENTE



Colour Options
WH+BK
BK+BK

WHITE/BLACK

MODEL	POWER	SIZE
EN-CY09S - 7	7W	55*55*57
EN-CY09S - 12	12W	70*70*70
EN-CY09S - 14	2X7W	110*55*57
EN-CY09S - 24	2X12W	140*70*70



MODEL	POWER
EN-CY10 - 6	6W





MODEL	SHAPE	POWER	OUTER SIZE	CUTOUT
EN-DL01 - 16S	Square	16W	L120*W120*H29	105x105
EN-DL01 - 24S	Square	24W	L170*W170*H29	155x155
EN-DL01 - 32S	Square	32W	L225*W225*H29	210x210
EN-DL01 - 16R	Round	16W	D120*H29	∅ 105
EN-DL01 - 26R	Round	24W	D170*H29	∅ 155
EN-DL01 - 32R	Round	32W	D225*H29	∅ 210

MODEL	SHAPE	POWER	OUTER SIZE	CUTOUT
EN-DL02 - 12S	Square	12W	110*110	105*105
EN-DL02 - 18S	Square	18W	145*145	135*135
EN-DL02 - 24S	Square	24W	170*170	160*160
EN-DL02 - 12R	Round	12W	∅ 120	∅ 115
EN-DL02 - 18R	Round	18W	∅ 155	∅ 145
EN-DL02 - 24R	Round	24W	∅ 175	∅ 165



EN-DL03



MODEL	POWER	SIZE	CUTOUT
EN-DL03 - 48	48W	600*600	595*595

2x2

EN-DL05

VISTARA



LUX

EN-DL04



MODEL	POWER	SIZE	CUTOUT	BEAM ANGLE
EN-DL04 - 12	12W	D80*H45	Ø 75	60°
EN-DL04 - 18	18W	D100*H53	Ø 95	60°

MODEL	POWER	SIZE	CUTOUT	BEAM ANGLE
EN-DL05 - 8	8W	75*55H	Ø 60	60°
EN-DL05 - 15	15W	88*65H	Ø 75	60°
EN-DL05 - 20	20W	98*75H	Ø 88	60°

TURBO LIGHTS


DOWNLIGHT

TURBO LIGHTS

EN-DLo6

DELIGHT



MODEL	POWER	SIZE	CUTOUT
EN-DL06 - 6	6W	84*28	Ø 74
EN-DL06 - 12	12W	110*28	Ø 100
EN-DL06 - 18	18W	155*28	Ø 145

EN-DLo7

FISCO



MODEL	POWER	SIZE	CUTOUT
EN-DL07 - 12	12W	110*45	Ø 95



EN-FL01

FLUT LINSE

EN-FL02

FLUT GLAS



MODEL	POWER	SIZE	LED QTY
EN-FL01 - 30	30W	200*135	30pcs
EN-FL01 - 50	50W	240*160	50pcs
EN-FL01 - 100	100W	300*200	98pcs
EN-FL01 - 150	150W	360*240	150pcs
EN-FL01 - 200	200W	400*260	200pcs

MODEL	POWER	SIZE	LED QTY
EN-FL02 - 30	30W	200*100mm	90pcs
EN-FL02 - 50	50W	256*123mm	120pcs
EN-FL02 - 100	100W	345*165mm	240pcs
EN-FL02 - 150	150W	381*181mm	360pcs



SMPS

EN-SMPS01



MODEL	POWER	SIZE
EN-SMPS01-2A	2A /24W	103*30*21
EN-SMPS01-3A	3A/36W	100*30*20
EN-SMPS01-5A	5A/60W	160*40*31
EN-SMPS01-10A	10A/100W	188*46*35
EN-SMPS01-12.5A	12.5A/150W	213*60*40
EN-SMPS01-16.5A	16.5A/200W	223*68*40
EN-SMPS01-30A	30A/360W	223*69*40

EN-SMPS02



MODEL	POWER	SIZE
EN-SMPS02-5A	5A/60W	170*53*18
EN-SMPS02-10A	10A/120W	226*53*22
EN-SMPS02-12.5A	12.5A/150W	250*53*22
EN-SMPS02-16.5A	16.5A/200W	308*53*22
EN-SMPS02-25A	25A/300W	308*53*22

EN-SMPS03



MODEL	POWER	SIZE
EN-SMPS03-5A	5A/60W	172*34*23
EN-SMPS03-10A	10A/120W	145*49*29
EN-SMPS03-5A24V	5A/120W	145*49*29
EN-SMPS03-10A24V	10A/240W	195*48*29



TREIBER



EN-LLo1 RECTA T5




11W | 2FEET
22W | 2FEET

EN-LLo2 RECTA T8



20W | 2FEET
40W | 4FEET

EN-LLo3 RECTA 50 x 70 Profile




Price per foot (CL | SF | Hanging)


Using MCPCB with Bridgelux
& Mitsubishi Diffuser
DWG Germany Diffuser




EN-LLo4




POWER	SIZE	CUT HOLE
8W	80*35	Ø 75



POWER	SIZE	CUT HOLE
15W	128*35	Ø120



POWER	SIZE	CUT HOLE
20W	173*35	Ø165



POWER	SIZE	CUT HOLE
30W	218*35	Ø 205



LINEAR LIGHTS

CAECUS

LINEAR LIGHTS


UMBRA

EN-LL05




MODEL	POWER	SIZE	CUTOUT
EN-LL05 - 3	3W	40*40*42.2	35*35
EN-LL05 - 5	5W	69*40*42.2	65*35
EN-LL05 - 8	8W	100*40*42.2	95*35

EN-LL06




MODEL	POWER	SIZE	CUTOUT
EN-LL06 - 3	3W	45*45*49	37*37
EN-LL06 - 6	6W	75*45*49	68*37
EN-LL06 - 15	15W	147*45*49	140*37
EN-LL06 - 30	30W	280*45*49	273*37
EN-LL06 - 45	45W	412.7*45*49	405*37



LINEAR LIGHTS

CALIGO

EN-LL07



MODEL	LED Configuration	Dimensions (mm)
EN-LL07 - 6	3 LED 6W	57*27.5, 40, 32, 62
EN-LL07 - 8	4 LED 8W	48*48, 40, 52, 52
EN-LL07 - 12	6 LED 12W	104*27.5, 40, 32, 109
EN-LL07 - 18	9 LED 18W	68*68, 40, 71, 71
EN-LL07 - 24	12 LED 24W	200*27.5, 40, 32, 205






PANEL LIGHTS

EN-PLo1

3K 4K 6K




EN-PLo2

3 in 1

EN-PLo1

3K 4K 6K




EN-PL-o2

3 in 1




EN-PLo1

8W




8W | 3 in 1

15W




15W | 3 in 1

22W



22W | 3 in 1


30W



EN-PLo2


EN-PLo1

8W




8W | 3 in 1

15W




15W | 3 in 1

22W





22W | 3 in 1

30W



EN-PLo1

3K 4K 6K





EN-PLo2

3 in 1

EN-PLo1

3K 4K 6K




EN-PLo2

3 in 1


EN-PLo2

8W




8W | 3 in 1

15W




15W | 3 in 1

22W




22W | 3 in 1

30W




8W




8W | 3 in 1

15W




15W | 3 in 1

22W



22W | 3 in 1

30W




EN-PLo2




EN-PL03

3K 4K 6K




EN-PL03


3K 4K 6K




8W




15W




22W





8W



15W




22W










EN-PLo3

3K 4K 6K



EN-PLo3

3K 4K 6K





MODEL	POWER	SIZE
EN-TL01 - 10	10W	120*50
EN-TL01 - 20	20W	160*65
EN-TL01 - 30	30W	180*75

MODEL	POWER	SIZE
EN-TL02 - 20	20W	140*90
EN-TL02 - 30	30W	160*90






STRIP LIGHTS

FLEXIBEL

EN-SPL01



COPPER BASE

5 Meter Rolls

MODEL	POWER	SIZE
EN-SPL01 - 120	120LED	8
EN-SPL01 - 180	180LED	10
EN-SPL01 - 240	240LED	10



OUTDOOR LIGHTS


OUTDOOR LIGHTS

EN-ODo1



MODEL	POWER	SIZE
EN-OD01 R	14W	∅ 90*136
EN-OD01 S	14W	90*90*136

EN-ODo2




MODEL	POWER	SIZE A*B*C
EN-OD02 - 3	3W	66*45
EN-OD02 - 7	7W	100*66*300
EN-OD02 - 12	12W	100*66*300




EN-ODo3




MODEL	POWER
EN-OD03	2x5W



EN-ODo4



MODEL	POWER	SIZE A*B*C
EN-OD04 - 6	6W	190*125*50




OUTDOOR LIGHTS

OUTDOOR LIGHTS

EN-ODo5




MODEL	POWER	BEAM ANGLE	SIZE A*B*C
EN-OD05	10 W	100°	180*105*85



EN-ODo6




MODEL	POWER	SIZE
EN-OD06 - 8S	8W	90*46
EN-OD06 - 15S	15W	140*46
EN-OD06 - 8R	8W	Ø90*46
EN-OD06 - 15R	15W	Ø140*46



EN-ODo7




MODEL	POWER	SIZE A*B
EN-OD07 - R	5W	Ø 108*80
EN-OD07 - S	5W	108*82



EN-ODo8




MODEL	POWER	SIZE
EN-OD08 - R	5W	108*115
EN-OD08 - S	5W	110*110*108







OUTDOOR LIGHTS

OUTDOOR LIGHTS

EN-OD09







MODEL	POWER	SIZE A*B*C*D
EN-OD09-S	5 W	80*86*96*105
EN-OD09-R	5 W	∅ 80*86*96*105




EN-OD10



MODEL	POWER	SIZE A*B*C*D
EN-OD10-S	2*5W	80*132*96*105
EN-OD10-R	2*5W	∅ 80*132*96*105





EN-OD11




MODEL	POWER	SIZE A*B
EN-OD011 - 5	5W	∅ 115*60

EN-OD12





MODEL	POWER	SIZE A*B*C
EN-OD012 - 6	6W	160*142*87



OUTDOOR LIGHTS

OUTDOOR LIGHTS

EN-OD13




MODEL	POWER	SIZE A*B*C*D
EN-OD13	2*3W	173*54*110*60




IP54

EN-OD14






MODEL	POWER	SIZE A*B
EN-OD14	4*3W	100*51



IP54



EN-OD15



MODEL	POWER	SIZE A*B
EN-OD15	4*3W	100*51




IP54

EN-OD16



MODEL	POWER	SIZE A*B*C
EN-OD16-2	2W	70*42*92
EN-OD16-4	4W	70*42*150



IP54




OUTDOOR LIGHTS

OUTDOOR LIGHTS

EN-OD17



MODEL	POWER	SIZE A*B
EN-OD17	2*3W	∅ 130*68



EN-OD18




MODEL	ADJUSTABLE	POWER	SIZE
EN-OD18 - M	Movable	2*3W	100*100*100
EN-OD18 - NM	Non Movable	2*3W	100*100*80




EN-OD19



MODEL	POWER	SIZE A*B*C
EN-OD019 - 2	2W	114*114*65
EN-OD019 - 4	4W	170*114*65
EN-OD019 - 6	6W	226*114*65



EN-OD20




MODEL	POWER	SIZE
EN-OD20-3	3W	80*60*35
EN-OD20-6	2*3W	80*60*35



OUTDOOR LIGHTS

OUTDOOR LIGHTS


EN-OD21



MODEL	POWER	SIZE
EN-OD21	2*3W	120*60*40




EN-OD23



MODEL	POWER	SIZE
EN-OD23-6	2*3W	∅ 90*50
EN-OD23-12	4*3W	∅ 90*50



EN-OD22



MODEL	POWER	SIZE
EN-OD22	2*3W	120*60*40



EN-OD24



MODEL	POWER	SIZE
EN-OD24-R	2*6W	∅ 90*80*110
EN-OD24-S	2*6W	83*83*110



EN-OD25



MODEL	POWER	SIZE
EN-OD25-S	2*6W	69*110
EN-OD25-R	2*6W	90*69*110



EN-OD26



MODEL	POWER	SIZE
EN-OD26 - 2	2*1W	78*80*39
EN-OD26 - 6	6*1W	168*80*46



EN-OD27



MODEL	POWER	SIZE
EN-OD27	4*3W	Ø 95



Turbo lights

496 kalbadevi road , shop no. 8

Krishna nivas

Mumbai 400002

www.turbolightsindia.com

email: contact@turbolightsindia.com

 [9322293323/9322298957](https://wa.me/9322293323)